

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCI United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

CONFIRMATION NO. ATTORNEY DOCKET NO. FIRST NAMED INVENTOR APPLICATION NO. FILING DATE 1823.0440001 John F. Carver 01/17/2002 10/047,983 EXAMINER 26111 04/14/2004 JEFFERY, JOHN A STERNE, KESSLER, GOLDSTEIN & FOX PLLC 1100 NEW YORK AVENUE, N.W. PAPER NUMBER ART UNIT WASHINGTON, DC 20005 3742

DATE MAILED: 04/14/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

@ 6		1
	Application No.	Applicant(s)
	10/047,983	CARVER ET AL.
Office Action Summary	Examiner	Art Unit
	John A. Jeffery	3742
The MAILING DATE of this communication ap Period for Reply		
A SHORTENED STATUTORY PERIOD FOR REPI THE MAILING DATE OF THIS COMMUNICATION - Extensions of time may be available under the provisions of 37 CFR 1 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a re - If NO period for reply is specified above, the maximum statutory period - Failure to reply within the set or extended period for reply will, by statu Any reply received by the Office later than three months after the mailing - earned patent term adjustment. See 37 CFR 1.704(b).	136(a). In no event, however, may a sply within the statutory minimum of this d will apply and will expire SIX (6) MOI to cause the application to become A	reply be timely filed rty (30) days will be considered timely. NTHS from the mailing date of this communication. BANDONED (35 U.S.C. § 133).
Status		
1) Responsive to communication(s) filed on 25		
2a) This action is FINAL . 2b) This action is non-final. 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is		
 Since this application is in condition for allow closed in accordance with the practice under 	· Ex parte Quavle 1935 C l	D. 11, 453 O.G. 213.
	,	
Disposition of Claims		
4) ⊠ Claim(s) 13 and 16-22 is/are pending in the a 4a) Of the above claim(s) is/are withdr 5) ⊠ Claim(s) 16-22 is/are allowed. 6) ⊠ Claim(s) 13 is/are rejected. 7) □ Claim(s) is/are objected to. 8) □ Claim(s) are subject to restriction and	rawn from consideration.	
Application Papers		
Applicant may not request that any objection to the Replacement drawing sheet(s) including the corn	ccepted or b) objected to the drawing(s) be held in abeyo rection is required if the drawin	ance. See 37 CFR 1.85(a). ng(s) is objected to. See 37 CFR 1.121(d).
11) The oath or declaration is objected to by the	Examiner. Note the attach	ed Office Action or form PTO-152.
Priority under 35 U.S.C. § 119		
12) Acknowledgment is made of a claim for forei a) All b) Some * c) None of: 1. Certified copies of the priority docume 2. Certified copies of the priority docume 3. Copies of the certified copies of the p application from the International Bure * See the attached detailed Office action for a li	ents have been received. ents have been received in riority documents have bee eau (PCT Rule 17.2(a)).	Application No en received in this National Stage
Attachment(s)		
1) Notice of References Cited (PTO-892)	M	w Summary (PTO-413) lo(s)/Mail Date
 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/Paper No(s)/Mail Date 20040325. 	c\ □ Nation o	of Informal Patent Application (PTO-152)

Application/Control Number: 10/047,983

Art Unit: 3742

DETAILED ACTION

Statutory Text in Previous Office Action

The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior office action.

Claim Rejections - 35 U.S.C. § 102

Claim 13 is rejected under 35 USC 102(b) as being anticipated by Maase (US 5,825,474). The scope and breadth of the claim language does not preclude Maase who discloses an electro-optical biometric image capturing system 10 comprising platen 14, and an electric heating element 104 incorporated in each platen cover 24, 26. See Figs. 1-3 and col. 4, lines 33-65 and col. 5, lines 44-55. The platen covers 24, 26 each constitute "a surface of the electro-optical biometric image capturing system" and such surfaces are outside of the optical path. Accordingly, the electric heaters are attached to surfaces of the image capturing system that are outside the optical path.

Allowable Subject Matter

Claims 16-22 are allowable over the art of record.

Response to Arguments

Applicant's arguments have been considered but are deemed to be moot in view of the new grounds of rejection.

Art Unit: 3742

,5,8,

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to John A. Jeffery whose telephone number is (703) 306-4601. The examiner can normally be reached on Monday - Thursday from 7:00 AM to 4:30 PM. The examiner can also be reached on alternate Fridays.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Denise Pothier, can be reached on (703) 308-0993. All faxes should be sent to the centralized fax number at (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-1148.

JOHN A. JÈFFERY PRIMARY EXAMINER

4/14/04